





Doing it right the first time!



WeatherPrufe Paints is a privately (and fully South African) owned paint and waterproofing acrylic manufacturer situated in Cape Town, South Africa.

We produce a comprehensive range of products, formulated to provide solutions to commonly encountered coating problems. We pride ourselves in the technical integrity of our products and are committed to the maintenance of the standard set by these products.

Quality products, strong technical service, honest and accurate advice, along with an eagerness to exceed customers' expectations, has been the formula for the success enjoyed to date.

Doing it right the first time!





ELASTOCRYL™



High film build, pure acrylic fibre-reinforced waterproofing compound designed to dry quickly in low temperatures. Incorporates European technology optimizing film formation in winter conditions.

AREAS OF USE

- Seal horizontal cement-plastered substrates tops of parapet walls, the top edges of plaster bands and windowsills
- Seal and bridge hairline plaster cracks
- · Waterproof porous cement and concrete slabs
- Flash between differing substrates (incorporating a non-woven membrane)

ADVANTAGES

- Adhesion-Promoted Pure Acrylic binder for maximum weather resistance
- Flexible, yet non-tacky film
- High-volume solids for maximum film thickness
- Water-based for environmental and applicator friendliness
- Quicker drying time than conventional acrylic waterproofing products currently available in South Africa
- Approved for safe use by the wine industry
- Can be coated over after one hour drying time weather-dependant





Available in Charcoal and Black









WEATHERKLAD™



ADHESION-PROMOTED PURE ACRYLIC

High film build, pure acrylic and fibre-reinforced exterior coating for heavy-duty weather protection. Balanced properties of high flexibility and low dirt retention ensure maximum exterior life span.

AREAS OF USE

- Sealing, protecting and decorating of external walls, roofs, timber and guttering
- Seal and bridge hairline plaster cracks
- Tinted topcoat for Elastocryl[™] waterproofing system

ADVANTAGES

- Adhesion-Promoted Pure Acrylic for maximum weather protection
- Flexible, yet non-tacky film
- High-volume solids for maximum film thickness
- High UV-resistance for exterior longevity
- Easily washable sheen
- Superior waterproofing ability
- Water-based for environmental and applicator friendliness
- WeatherKlad™ & Fungicide (CellarKlad™) are approved for safe use in the wine industry















WEATHERSEAL™

LOW-SHEEN PURE ACRYLIC

Interior and exterior pure acrylic adhesion-promoted low-sheen emulsion paint.

AREAS OF USE

• Coating of interior and exterior primed masonry surfaces

ADVANTAGES

- Adhesion-Promoted Pure Acrylic for UVand weather protection.
- > Flexible, yet non-tacky film
- Water-based for environmental and applicator friendliness
- Hard-wearing and washable low-sheen finish
- No priming required on stable, sound and dry substrates
- Can be tinted to the colour of your choice
- Highly durable and washable finish









POLYURETHANE ENAMEL

PREMIUM GRADE POLYURETHANE-ALKYD

Single-pack polyurethane-alkyd-based coating with good abrasion resistance for interior and exterior applications. Mineral turpentine-based.

AREAS OF USE

- · Medium traffic walkways
- · Light industrial floors
- Domestic interior and exterior floors
- · Walls in high-soiling areas
- · Primed wood: Doors, doorframes, window frames
- · Primed metal railings

ADVANTAGES

- Tough and hard-wearing
- Interior and exterior applications
- Highly washable
- High UV-resistance for exterior applications.
 Can be catalysed for additional hardness and abrasion resistance where necessary
- Can be applied to a number of suitably primed substrates
- Approved for safe use by the wine industry







ADHESION-PROMOTED ROOF PAINT

ADHESION- PROMOTED PURE ACRYLIC

Pure acrylic adhesion-promoted roof paints formulated for maximum durability in harsh climatic conditions.

AREAS OF USE

- Coating and protecting new or previously painted cement tiles, galvanised iron roof sheets, pre-coated metal roof sheets, fibre-cement roof sheets, zincalume roof sheets
- Coating of galvanised or pre-coated metal garage doors, gutters and downpipes
- Coating of fibre-cement cladding and cement plant pots
- Coating of primed wooden fascia and barge boards, pergolas, gates and fencing
- Coating of primed metal gates and fencing

ADVANTAGES

- Adhesion-Promoted Pure Acrylic for maximum weather protection
- Flexible, yet non-tacky film
- Adhesion direct to pre-coated metal or galvanised iron roof sheets
- Oxide pigments for minimal fading
- Water-based for environmental and applicator friendliness

- ➤ High UV-resistance for superior longevity
- Can be tinted to the colour of choice
- Airless spray











ALLCOAT™

ACRYLIC MATT COATING

Cost-effective general-purpose matt acrylic paint for interior or exterior application to painted or unpainted masonry surfaces.

AREAS OF USE

 Coating of interior and exterior primed or unprimed firm masonry surfaces

ADVANTAGES

- > Pure white matt finish
- Superior hiding power
- Alkali-resistant binder. Can be applied directly to firm masonry surfaces
- Water-based for environmental and applicator friendliness
- Good opacity





Available in

1 51



WeatherPrufe Paints Southern Cape & Garden Route +27 87 164 6086 | david@weatherprufe.co.za



BASE COAT

ACRYLIC MATT COATING

Water-based plaster primer as an environmentally friendly option or solvent-free alternative to traditional plaster primers.

AREAS OF USE

- · Sound and dry masonry surfaces
- Cretestone
- · Skim plaster
- Rhinolite

ADVANTAGES

- Quick-drying
- Water-based for environmental and applicator friendliness
- **Low VOC**
- Interior and exterior use
- Can be overcoated with a product in the colour of choice







Available in White only

51

20L





PLASTER PRIMER

SOLVENT-BASED ALKALI-RESISTANT PRIMER

Solvent-based alkali-resistant primer formulated to penetrate and bind friable surfaces.

AREAS OF USE

- Priming of cement plaster, rhinolite, fibre-cement and gypsum boards, skimmed ceiling boards, and windowsills
- · Binding of previously painted weathered coatings

ADVANTAGES

- Provides an alkali-resistant barrier to protect subsequent coats from alkali attack
- Penetrates and binds porous and friable substrates
- UV-resistant allowing delayed exterior overcoating if required
- > Binds loose or powdery surfaces
- High-volume solids for maximum film thickness
- Can be overcoated with solvent and water-based decorative topcoats









SUPER ACRYLIC ST™

MODIFIED VINYL COATING

Modified vinyl coating for application to bituminous waterproofing membranes.

Able to withstand expansion and contraction as well as blocking the bleed-through of oily stains usually associated with such products.

AREAS OF USE

- Coating and protecting bituminous waterproofing membranes
- Coating of bituminous membranes where prevention of bleed-through of brown stains is required and matching of surrounding colours is desired
- Priming of bituminous membranes before application of waterproofing systems such as WeatherPrufe Elastocryl™ where prevention of bleed-through is required
- An aesthetic finish for bitumen surface in many colours other than "silver"

ADVANTAGES

- Proprietary blend of emulsions ensures balanced properties
- Excellent weathering abilities combined with stain blocking capability
- Flexible coating able to withstand thermally induced movement of substrate
- Water-based for environmental and applicator friendliness
- Available in white, standard oxide shades and pastel tints



Replaces a bituminous aluminium topcoat











WOOD PRIMER

ACRYLIC MATT COATING

Alkyd-based primer suitable for use on interior and exterior timber.

AREAS OF USE

 Priming of interior and exterior timber to be coated with conventional decorative solvent or water-based topcoats

ADVANTAGES

- Good penetration into the substrate
- Balanced binder and oil levels to ensure good timber protection
- Can be over-coated with conventional top coats















FUNGAL WASH

SOLVENT-FREE DILUTION OF FUNGICIDAL DISINFECTANTS

A solvent-free dilution of fungicidal algaecidal disinfectants.

AREAS OF USE

 Used on all substrates to sterilize fungi and algae growth

ADVANTAGES

- Water-based no solvents
- Non-flammable
- Excellent blend of active ingredients
- Approved for safe use in the wine industry







Available in







WeatherPrufe Paints Southern Cape & Garden Route +27 87 164 6086 | david@weatherprufe.co.za



TORNADO

WATER-BASED DEGREASER

A cost-effective aqueous blend of surfactants formulated to remove oil and dirt from soiled surfaces.

AREAS OF USE

- Degrease and clean floors
- Galvanized roofs
- · Cement roofs
- Walls
- Removal of borehole water stains on painted masonry
- Machinery
- Braais
- · Cellar walls and floors
- · Domestic appliances
- · Can be used on clothes

ADVANTAGES

- Water-based thus no solvent odour
- Non-flammable
- Non-toxic environmentally safe
- Non-harmful to wooden floors and tables
- Approved for safe use in the wine industry













WEATHERBOND **ENHANCE**

CEMENT MODIFYING ACRYLIC DISPERSION

An acrylic dispersion designed for use in cement products and cementitious substrates. Provides a key on difficult substrates for subsequent plaster application.

AREAS OF USE

- Stairways
- Showers
- Flat roofs
- · Flat surfaces, plaster bands and parapet walls
- · Fish ponds, dams fountain linings and reservoirs
- Silo floors
- Wet areas
- Concrete tank linings
- · Cement waterproofing slurries
- · Quality plaster mixes
- Use to repair cracks both smaller and larger than 5mm

ADVANTAGES

- Easily incorporated into plaster mixes
- Provides a key on difficult substrates for subsequent plaster application

Available in





GUARANTE

WEATHERPRUFE

EATHERBOND

- It increases the water-repellency of the coating as well as improving adhesion, abrasion resistance and flexibility
 - Dramatically improves:
- Waterproofing
 - Abrasion resistance
 - · Flexibility of plasters
- Adheres to many substrates
- May be over-coated as soon as dry
- Water-based for user and environmentally friendly use
- Approved for safe use in the wine industry





WeatherPrufe Paints Southern Cape Shop 21 Pre-Cap Centre Courtenay Street George, South Africa Tel: +27 87 164 6086

Factory 23 Mansell Ave, Killarney GardensCape Town ,South Africa Tel +27 21557 9147

facebook.com/weatherprufe instagram.com/weatherprufe info@weatherprufe.co.za

www.weatherprufe.co.za